

For Innovation And Flexibility In Cable Support Systems

Look To B-Line's "Solutions Through Product Selection."

Let's cut to the chase. B-Line is the industry leader in cable tray products—with a diversified product selection that give your customers the solutions they need for any job. You simply need look no where else.

Let B-Line's Cent-R-Rail® Systems keep your customer's next cable tray project on track—and on budget.

All Cent-R-Rail® Cable Tray Systems are:

- Specifically designed to allow cable freedom
- Perfect for future change with the most freedom for cables to enter or exit
- The fastest cable tray systems to install—one ATR and the splice is the support
- Open for easy side and bottom loading & cable inspection
- Light-weight, high-strength, corrosion-resistant aluminum construction for good grounding
- Free of sharp edges or connection hardware
- Installation spans to 12 feet
- Rungs dressed for installer and cable safety—colored end caps available for labeling
- Designed to interact with B-Line's Strut System and Strut Raceway System
- UL classified



Data-Track® Cable Tray Systems

Ceiling hung or floor mounted low profile cable system with built-in center rail barrier

Capacity to 144 sq inches

Center rail engineered for drilling
Center guide line to center drill bit
Loaded corners to maintain strength

Clevis Hangers available for random support

NEMA 12C load classification
Loading to 100 lbs/ft on 24" wide, 12' span with 12" rung spacing
Loading to 112 lbs/ft on 24" wide, 12' span with 9" rung spacing

Seismic restraint system available

CSA Classified



Verti-Rack® Cable Tray Systems

Ceiling hung system available in up to 6 tier depth

Accommodates multiple cable paths in one install

2" fill depth, up to 12" Capacity up to 144 sq inch fill

Unmatched cable separation and cable system segregation potential

Multiple tray runs supported by one center rail system

Expandable after installation with ADD-A-RUNG®

NEMA 12C load classification

Expanded sizes and variable widths available



Half-Rack® Cable Tray Systems

Excellent cable freedom

Very quick installation/mounting on wall or other structure without brackets or spacers

Three mount locations per section

Low profile cable system with capacity to 72 sq. inches

Seismic restraint systems available

CSA classified



Multi-Tier Half-Rack® Cable Tray Systems

Unique system that changes the whole cable installation dynamic

Designed for narrow or vertical space installation

Quick installation/mounting on wall or other structure

Multiple tray runs supported by one center rail system

Expandable after installation with ADD-A-RUNG®

Flush mounted without spacers or brackets

Seismic restraint systems available

Variable widths available

Qwik-Bolt™ Splice Hanger

- One splice included with each straight section
- Splice mounts/attaches flush with rail—protects cable from center rail edges
- Shipped assembled—no hardware to find
- Designed to install with 1/2" ATR
- UL classified for grounding—1000 amps
- Cat. No. CAS-SB




Horizontal Adjustable Splice

- Qwik-Bolt® design allowing random angle horizontal bends
- Can also connect straight sections at mid-run locations
- Bolts screw directly into splice, minimizing hardware
- Shipped assembled—no hardware to find
- UL classified for grounding—1000 amps
- Cat. No. CAS-HB



Data-Track® Horizontal Tee Coupling

- Used with Data-Track System to make tee, elbow or wye attachments
- Allows random attachment to center rail without drilling
- Pivoting connection featuring Qwik-Bolt™ design
- Shipped assembled with required hardware
- Pivot connection allows angle adjustability
- UL classified for grounding—1000 amps



Universal Hub Fitting

- Connects up to 4 trays in random directions
- Provides a 3" radius cable bend protection
- Provides an area free of center rails for cable transitions
- Ideal for easy system expansion
- Slots provided for cable tie down
- Positive cable retention for cables routed around corner post
- UL classified for grounding—1000 amps





Add-A-Rung

For Verti-Rack® and Multi-Tier H.R. systems post-install system expansion
Attaches to bottom of existing system
Mounting holes and hardware provided
Single or double tier available



Data-Track® Standard Clevis Hanger

Allows random cable tray support without drilling
Zinc plated steel construction
Available in 1/2" and 5/8" hanger rod sizes
Cable safe design

For innovation and flexibility in cable support systems, let B-Line's "Solutions Through Product Selection" keep your next cable tray project on track—and on budget. For more information, call **1-800-851-7415, ext. 366** to ask the experts, or visit our website at www.cooperbline.com.


COOPER B-Line

Solutions Through Product Selection ...

Ask the Experts!