

Pendant Collection

**HALO**



**EATON**

*Powering Business Worldwide*

# LED Pendants

The HALO LED Pendants offer a one of a kind lighting solution that is hand crafted to add personality to your space. These energy efficient fixtures have smooth dimming down to 5% and offer a multitude of shapes and shade colors. The HALO LED Pendants meet both Title 24 and ENERGY STAR® requirements and the new optical design gives the look of a traditional bulb but the efficiency of an LED.



## Energy Data


	90 CRI
<b>Max. Lumens (3000K)</b>	560
<b>Input Voltage</b>	120V
<b>Input Frequency</b>	60 Hz
<b>Input Power</b>	8.5W
<b>Input Current</b>	0.075A - 0.0875A
<b>Power Factor</b>	>0.95
<b>THD</b>	<15%
<b>EMI/RFI</b>	FCC Title 47 CFR, Part 15, Class B (Consumer)
<b>Sound Rating</b>	Class A
<b>Minimum Starting Temp</b>	-20°C (-4°F)



## Features

- Up to 560 lumens (3000K)
- Use to replace 60W A15 or G16.5 lamps
- 2700K or 3000K Correlated Color Temperature (CCT)
- 90 CRI
- 8.5W, 120V
- Dimmable to 5% with select dimmers
- Five-year limited warranty

## Dimensions



# Art Glass Collection

Art glass pendants offer the opportunity to add a truly unique touch to lighting needs in both commercial and residential spaces. They can add a pleasant free flowing accent in reception or hospitality areas or they can be used for general lighting with their inviting pools of muted illumination.

Four styles are available in small and large sizes and the "taste" fully named color choices such as Tahitian Coconut, Blueberry Swirl, Cherries Jubilee, Spumoni, Butterscotch Twist and Rocky Road allow a wide choice for design freedom.



Tahitian Coconut

## Ordering Information

**SAMPLE NUMBER:** L1DMEAHLPM927AHLRGLBlueberry  
Complete unit includes consists of:


Track	Style Name	Finial Finish	LED Module
<b>120V</b> L1 = Halo Power Track H1 = Surface Mount	BSM = Blossom DME = Dome TBE = Tube HALO = Haloid*	AH = Aluminum Haze BRZ = Bronze	LPM927 = 8W LED, 400 lm, 90 CRI, 2700K LPM930 = 8W LED, 400 lm, 90 CRI, 3000K
Adapter/ Canopy Finish	Size	Color	
AH = Aluminum Haze BRZ = Bronze P = White MB = Black	SM = Small LRG = Large	AmberIce = Amber Ice AmberWeb = Amber Web Blueberry = Blueberry Swirl Butterscotch = Butterscotch Twist Candy = Candy Apple Caramel = Caramel Cherries = Cherries Jubilee Coconut = Tahitian Coconut Indigo = Indigo	Irish = Irish Coffee Licorice = Black Licorice Marshmallow = Marshmallow Swirl MossyIce = Mossy Ice Plum = Plum Wine Rocky = Rocky Road Sandstone = Sandstone SeaMoss = Sea Moss Smoke = Smoke Spumoni = Spumoni

\* LRG only

## Track Styles



**L1**  
Halo  
Track



**H1**  
Line Voltage  
Surface Mount



# Art Glass

style



blossom



tube



dome



haloid

size



large



small

color



candy apple



amber web



amber ice



butterscotch



blueberry swirl




cherries jubilee



caramel



indigo



tahitian coconut



rocky road



sea moss



black licorice



plum wine



mossy ice



marshmallow swirl



sandstone



spumoni




smoke




irish coffee

Because Halo art glass pendants are individually hand made, the color, pattern, and shape will vary from piece to piece adding to their unique charm. Halo art glass pendants are hand crafted in the United States.



# Classics Collection

These pendants combine classic shapes with the latest in lamp technology. They can add a decorative touch and provide either a dramatic punch of light or a soft pool of understated illumination. Ideal for reception and hospitality areas, counters, and over work surfaces. Choose from cased glass or metal pendants in a variety of finishes.



Amber

## Ordering Information


**SAMPLE NUMBER:** L1CYLAHLPM927AHBL  
Complete unit includes consists of:

Track	Style	Finial Finish	LED Module
<b>120V</b> L1 = Halo Power-Trac H1 = Surface Mount	<b>CYL</b> = Cylinder	<b>AH</b> = Aluminum Haze <b>BRZ</b> = Bronze	<b>LPM927</b> = 8W LED, 400 lm, 90 CRI, 2700K <b>LPM930</b> = 8W LED, 400 lm, 90 CRI, 3000K
Adapter/Canopy Finish		Color	
<b>AH</b> = Aluminum Haze <b>BRZ</b> = Bronze <b>P</b> = White <b>MB</b> = Black		<b>AM</b> = Amber <b>BL</b> = Blue <b>WH</b> = White	

## Track Styles



**L1**  
Halo  
Track



**H1**  
Line Voltage  
Surface Mount

## Classic

style



cylinder

color



blue



white



amber

# Halo Single Circuit Track System



**L650, L651, L652, L653**

Halo Single Circuit Trac provides versatility for every lighting need. Miniature size, decorator finishes, push in connectors, economy all combine to make single circuit Halo power-trac perfect for residential and commercial use.



**L900** Outlet Box Cover



**L901** Live End Connector



**L902** Flexible Connector



**L903** Straight Connector




**L904** L Connector



**L905** T Connector



**L906** X Connector



**L907** Outlet Box for use with T-Bar Ceiling



**L908** Mini Joiner



**L909** Floating Canopy and Connector



**L950** Cord and Plug Connector



**L951** Wire Way Cover for Pendant Assembly Kit



**L979** Conduit Continuation Kit



**L980** Live End Conduit Adapter



**L983** T-Bar Attachment Clip



**L992** Pendant Kit Assembly



**L994** 45° Pendant Adapter



**DE600** Dead End



**LC901** Current Limiter



## **Eaton**

1121 Highway 74 South  
Peachtree City, GA 30269  
P: 770-486-4800  
[www.eaton.com/lighting](http://www.eaton.com/lighting)

## **Canada Sales**

5925 McLaughlin Road  
Mississauga, Ontario L5R 1B8  
P: 905-501-3000  
F: 905-501-3172

## **Our Lighting Product Lines**

Halo  
Halo Commercial  
Portfolio  
IRiS  
RSA  
Metalux  
Corelite  
Neo-Ray  
Fail-Safe  
MWS  
Ametrix  
Shaper  
io  
Lumark  
McGraw-Edison  
Invue  
Ephesus  
Lumière  
Streetworks  
AtLite  
Sure-Lites

## **Our Controls Product Lines**

Greengate  
iLumin  
Zero 88  
Fifth Light Technology  
iLight (International Only)

## **Eaton**

1121 Highway 74 South  
Peachtree City, GA 30269  
P: 770-486-4800  
[www.eaton.com/lighting](http://www.eaton.com/lighting)

© 2016 Eaton  
All Rights Reserved  
Printed in USA  
Publication No. BR518023EN  
March 2016

Products, specifications and compliances are subject to change without notice.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



*Powering Business Worldwide*