

273 Branchport Avenue
Long Branch, NJ 07740
Phone: (800) 631-2148
Fax: (800) 232-6066
www.coopernotification.com
E-mail: orders@cooperwheelock.com



SAFEPATH4 SP40S AM-SP40S-PMK Programmed Message Kit Order Form

PLEASE PRINT

PO# _____ Date _____

Customer Name _____

Phone _____ Fax _____

Bill To Address _____

Ship To Address (If different than Bill To Address) _____

Contact Person _____

Shipping Method _____

End User Name, City & State _____

Intended Application of Product _____

Authorized Signature & Title _____

Note: Cooper Wheelock expressly disclaims all liability for the content, clarity and languages of, and priority level assigned to, any and all messages. It is essential that you have message content and language sequence and priority assignments reviewed and approved by qualified legal and safety advisors, qualified representative(s) of owner(s), and authorities having jurisdiction.

Custom Message Content Instructions:

1. Maximum time limit for each Message is 30 seconds. Two tones (code 3 & continuous) for the messages are already built into sp40s and do not need to be programmed onto the chip. Listed below are examples of standard message blocks:

Message/Tone # 1, Priority 1	30 seconds
Message/Tone # 2, Priority 2	30 seconds
Message/Tone # 3, Priority 3	30 seconds
Message/Tone # 4, Priority 4	30 seconds
Message/Tone # 5, Priority 5	30 seconds
Message/Tone # 6, Priority 6	30 seconds
Message/Tone # 7, Priority 7	30 seconds
Message/Tone # 8, Priority 8	30 seconds

2. Message segments can be combined into 30-second blocks for a maximum of 240 seconds. This will result in fewer messages. Listed below is an example of combined 30 second blocks:

Message/Tone # 1, Priority 1	120 seconds
Message/Tone # 2, Priority 2	not available
Message/Tone # 3, Priority 3	not available
Message/Tone # 4, Priority 4	not available
Message/Tone # 5, Priority 5	60 seconds
Message/Tone # 6 Priority 6	not available
Message/Tone # 7 Priority 7	30 seconds
Message/Tone # 8, Priority 8	30 seconds

3. If message and tone requirements exceed the times listed above, contact Technical Support for assistance – (800) 631-2148, option 3.
4. If a multi-language message is required, please note the time constraints. In addition, foreign language audio files may be required to be submitted for the recording.
5. The SP40S has a pre-tones built in; code 3, continuous tone 1k Hz or no tone can be selected via a dip switch. If another tone is required, it must be specified as part of the message content.
6. If a wave file, CD or cassette is sent in to be programmed onto a voice chip, it needs to be accompanied with an English translation of the message detailing the assigned input file number.
7. A male voice will be used if voice type is not selected.
8. Please ensure that a contact name and phone number is submitted in case there is a question on programming content. This can reduce the time it takes to create the custom message chip.
9. The message content will repeat a minimum of 3 rounds automatically when activated.

Message/Tone # 1 – Priority Level # 1

Voice Type: Male Female

Is a wave file or CD or cassette included? Yes No

Message Content:

Message/Tone # 2 – Priority Level # 2

Voice Type: Male Female

Is a wave file or CD or cassette included? Yes No

Message Content:

Message/Tone # 3 – Priority Level # 3

Voice Type: Male Female

Is a wave file or CD or cassette included? Yes No

Message Content:

Message/Tone # 4 – Priority Level # 4

Voice Type: Male Female

Is a wave file or CD or cassette included? Yes No

Message Content:

Message/Tone # 5 – Priority Level # 5

Voice Type: Male Female

Is a wave file or CD or cassette included? Yes No

Message Content:

Message/Tone # 6 – Priority Level # 6

Voice Type: Male Female

Is a wave file or CD or cassette included? Yes No

Message Content:

Message/Tone # 7 – Priority Level # 7

Voice Type: Male Female

Is a wave file or CD or cassette included? Yes No

Message Content:

Message/Tone # 8 – Priority Level # 8

Voice Type: Male Female

Is a wave file or CD or cassette included? Yes No

Message Content:
